

HTML Quick List

HTML Tag Name	Attributes
<!-- ❖❖❖ -->	
<!DOCTYPE ...>	
<A ...> Anchor	<p><u>HREF</u>: URL you are linking to</p> <p><u>NAME</u>: name a section of the page</p> <p><u>TARGET</u> = " <u>blank</u>" " <u>parent</u>" " <u>self</u>" " <u>top</u>" <u>window name</u> which window the document should go in</p> <p><u>TITLE</u>: suggested title for the document to be opened</p> <p><u>onClick</u>: script to run when the user clicks on this anchor</p> <p><u>onMouseOver</u>: when the mouse is over the link</p> <p><u>onMouseOut</u>: when the mouse is no longer over the link</p> <p><u>ACCESSKEY</u></p>
<ADDRESS>	
<APP ...>	
<APPLET ...>	<p><u>CODE</u>: the applet to run</p> <p><u>CODEBASE</u>: path to the applet class</p> <p><u>WIDTH</u>: width of the applet</p> <p><u>HEIGHT</u>: height of the applet</p> <p><u>ALIGN</u> = LEFT RIGHT TOP MIDDLE BOTTOM BASELINE alignment of applet to surrounding text</p> <p><u>VSPACE</u>: vertical space between applet and surrounding text</p> <p><u>HSPACE</u>: horizontal space between applet and surrounding text</p> <p><u>BORDER</u>: empty space surrounding the applet</p> <p><u>NAME</u>: name of applet for reference by other applets</p> <p><u>ARCHIVE</u>: a compressed collection of applet components</p> <p><u>MAYSCRIPT</u>: If Java can use JavaScript</p>
<AREA ...>	<p><u>HREF</u>: URL you are linking to</p> <p><u>ALT</u>: alternate text if the image isn't displayed</p> <p><u>SHAPE</u> = <u>RECT</u> <u>CIRCLE</u> <u>POLY</u> <u>DEFAULT</u> what shape is this area?</p> <p><u>COORDS</u>: coordinates for the link area shape</p> <p><u>TITLE</u>: Short description of the area</p> <p><u>TARGET</u>: what frame to go to</p> <p><u>NOHREF</u>: this area is not a link</p> <p><u>onClick</u>: script action when the user clicks this area</p> <p><u>onMouseOver</u></p> <p><u>onMouseOut</u></p>
 Bold	

<p><BASE ...> Base Address</p>	<p><u>HREF</u>: default address for hypertext links</p> <p><u>TARGET</u> = "_blank" "_parent" "_self" "_top" <i>frame name</i> default window for linked documents</p>
<p><BASEFONT ...></p>	<p><u>SIZE</u></p> <p><u>COLOR</u></p> <p><u>FACE</u></p>
<p><BGSOUND ...></p>	<p><u>SRC</u>: URL of the sound</p> <p><u>LOOP</u> = INFINITE <i>number of loops</i> how many times to play the sound</p>
<p><BIG></p>	
<p><BLINK></p>	
<p><BLOCKQUOTE ...> Block Quote</p>	
<p><BODY ...></p>	<p><u>BGCOLOR</u>: background color of the page</p> <p><u>BACKGROUND</u>: background picture for the page</p> <p><u>TEXT</u>: color of the text on the page</p> <p><u>LINK</u>: color of links that haven't been followed yet</p> <p><u>VLINK</u>: color of links that have been followed</p> <p><u>ALINK</u>: color of links while you are clicking on them</p> <p><u>BGPROPERTIES</u> = FIXED if the background image should not scroll</p> <p><u>TOPMARGIN</u>: size of top and bottom margins</p> <p><u>LEFTMARGIN</u>: size of left and right margins</p> <p><u>MARGINHEIGHT</u>: size of top and bottom margins</p> <p><u>MARGINWIDTH</u>: size of left and right margins</p> <p><u>onLoad</u>: Script to run once the page is fully loaded</p> <p><u>onUnload</u></p> <p><u>onFocus</u></p> <p><u>onBlur</u></p> <p><u>STYLESRC</u>: MS FrontPage extension</p> <p><u>SCROLL</u> = YES NO If the document should have a scroll bar</p>
<p><BR ...> Line Break</p>	<p><u>CLEAR</u> = LEFT RIGHT ALL BOTH go past a picture or other object</p>
<p><BUTTON ...></p>	<p><u>TYPE</u> = BUTTON SUBMIT RESET what type of button is this</p> <p><u>onClick</u>: script to run when the user clicks here</p> <p><u>NAME</u>: name of this button element</p> <p><u>VALUE</u>: the value sent with the form</p> <p><u>DISABLED</u>: disable this button</p> <p><u>ACCESSKEY</u>: shortcut key for this button</p> <p><u>TABINDEX</u>: tab order</p>

<p><CAPTION ...></p>	<p><u>ALIGN</u> = TOP BOTTOM LEFT RIGHT alignment of caption to table</p> <p><u>VALIGN</u> = TOP BOTTOM if caption should be above or below table</p>
<p><CENTER ...></p>	
<p><CITE> Citation</p>	
<p><CODE></p>	
<p><COL ...> Column</p>	<p><u>SPAN</u>: how many columns this affects</p> <p><u>ALIGN</u> = LEFT CENTER RIGHT JUSTIFY horizontal alignment</p> <p><u>WIDTH</u>: width of the column</p> <p><u>BGCOLOR</u>: background color of the column</p>
<p><COLGROUP ...> Column Group</p>	<p><u>SPAN</u>: how many columns this affects</p> <p><u>ALIGN</u>: alignment of cell contents</p> <p><u>WIDTH</u>: Width of the column group</p>
<p><COMMENT></p>	
<p><DD> Definition Description</p>	
<p> Deleted</p>	
<p><DFN> Definition</p>	
<p><DIR ...> Directory List</p>	
<p><DIV ...></p>	<p><u>ALIGN</u> = LEFT CENTER RIGHT JUSTIFY text alignment</p>
<p><DL ...> Definition List</p>	<p><u>COMPACT</u>: take up less space</p>
<p><DT> Definition Term</p>	
<p> Emphasis</p>	
<p><EMBED ...></p>	<p><u>SRC</u>: URL of resource to be embedded</p> <p><u>WIDTH</u>: width of area in which to show resource</p> <p><u>HEIGHT</u>: height of area in which to show resource</p> <p><u>ALIGN</u> = ABSBOTTOM ABSMIDDLE MIDDLE TEXTTOP RIGHT LEFT BASELINE CENTER BOTTOM TOP how text should flow around the picture</p> <p><u>NAME</u>: name of the embedded object</p> <p><u>PLUGINSPAGE</u>: where to get the plugin software</p> <p><u>PLUGINURL</u>: where to get the JAR archive for automatic installation</p> <p><u>HIDDEN</u> = FALSE TRUE if the object is visible or not</p> <p><u>HREF</u>: make this object a link</p> <p><u>TARGET</u>: frame to link to</p> <p><u>AUTOSTART</u> = TRUE FALSE if the sound/movie should start automatically</p> <p><u>LOOP</u> = TRUE FALSE # of loops how many times to play the sound/movie</p>

	<p><u>PLAYCOUNT</u>: how many times to play the sound/movie</p> <p><u>VOLUME</u>: how loud to play the sound</p> <p><u>CONTROLS</u> = VOLUMELEVER STOPBUTTON PAUSEBUTTON PLAYBUTTON SMALLCONSOLE CONSOLE which sound control to display</p> <p><u>CONTROLLER</u> = TRUE FALSE if controls should be displayed</p> <p><u>MASTERSOUND</u>: indicates the object in a sound group with the sound to use</p> <p><u>STARTTIME</u>: how far into the sound to start and stop</p> <p><u>ENDTIME</u>: when to finish playing</p>
<u><FIELDSET></u>	
<u></u>	<p><u>SIZE</u>: size of the font</p> <p><u>COLOR</u>: color of the text</p> <p><u>FACE</u>: set the typestyle for text</p> <p><u>POINT-SIZE</u></p> <p><u>WEIGHT</u></p>
<u><FORM ...></u>	<p><u>ACTION</u>: URL of the CGI program</p> <p><u>METHOD</u> = GET POST how to transfer the data to the CGI</p> <p><u>NAME</u>: name of this form</p> <p><u>ENCTYPE</u> = "multipart/form-data" "application/x-www-form-urlencoded" "text/plain" what type of form this is</p> <p><u>TARGET</u> = "_blank" "_parent" "_self" "_top" <i>frame name</i> what frames to put the results in</p> <p><u>onSubmit</u>: script to run before the form is submitted</p> <p><u>onReset</u>: script to run before the form is reset</p>
<u><FRAME ...></u>	<p><u>SRC</u>: what file to put in the frame</p> <p><u>NAME</u>: the name of the frame</p> <p><u>SCROLLING</u> = YES NO AUTO should the frame have a scrollbar?</p> <p><u>NORESIZE</u>: don't let the user make the frame bigger or smaller</p> <p><u>FRAMEBORDER</u> = YES 1 NO 0 should this frame have a border?</p> <p><u>BORDERCOLOR</u>: color of the surrounding border</p> <p><u>MARGINWIDTH</u>: the internal left and right margins for the frame</p> <p><u>MARGINHEIGHT</u>: the internal top and bottom margins for the frame</p>
<u><FRAMESET ...></u>	<p><u>COLS</u>: how many cols in the frameset</p> <p><u>ROWS</u>: how many rows in the frameset</p> <p><u>FRAMEBORDER</u> = YES 1 NO 0 if the frames should have borders</p>

	<p><u>FRAMESPACING</u>: space between the frames</p> <p><u>BORDER</u>: space between frames</p> <p><u>BORDERCOLOR</u>: color of frame borders</p>
<p><H# ...> Headers<H1 ...>, <H2 ...>, <H3 ...>, <H4 ...>, <H5 ...>, <H6 ...></p>	<p><u>ALIGN</u> = LEFT RIGHT CENTER JUSTIFY alignment</p>
<HEAD>	
<p><HR ...> Horizontal Rule</p>	<p><u>NOSHADE</u>: don't use shadow effect</p> <p><u>SIZE</u>: height</p> <p><u>WIDTH</u>: horizontal width of the line</p> <p><u>ALIGN</u> = LEFT RIGHT CENTER horizontal alignment of the line</p> <p><u>COLOR</u>: color of the line</p>
<HTML>	
<HTMLPLUS ...>	
<HYPER>	
<I> Italics	
<p><IFRAME ...> Inline Frame</p>	<p><u>SRC</u>: URL of the document to go in the frame</p> <p><u>HEIGHT</u>: height of the inline frame</p> <p><u>WIDTH</u>: width of the inline frame</p> <p><u>NAME</u>: name of this inline frame</p> <p><u>LONGDESC</u>: URL of a long description of the contents of the frame</p> <p><u>FRAMEBORDER</u> = 1 0 if the frame should have a border around it</p> <p><u>MARGINWIDTH</u>: internal left/right margin for the frame</p> <p><u>MARGINHEIGHT</u>: internal top/bottom margin for the frame</p> <p><u>SCROLLING</u> = YES NO AUTO if the frame should have scroll bars</p> <p><u>ALIGN</u> = LEFT RIGHT TOP TEXTTOP MIDDLE ABSMIDDLE CENTER BOTTOM ABSBOTTOM BASELINE alignment of the frame object to text around it</p> <p><u>VSPACE</u>: space above and below the frame</p> <p><u>HSPACE</u>: space to the left and right of the frame</p>
<p> Image</p>	<p><u>SRC</u>: where to get the picture</p> <p><u>ALT</u>: text to show if you don't show the picture</p> <p><u>NAME</u></p> <p><u>LONGDESC</u>: URL of a long description of the image</p> <p><u>WIDTH</u>: how wide is the picture</p> <p><u>HEIGHT</u>: how tall is the picture</p> <p><u>ALIGN</u> = LEFT RIGHT TOP TEXTTOP MIDDLE ABSMIDDLE </p>

	<p><u>BOTTOM</u> <u>ABSBOTTOM</u> <u>BASELINE</u> how text should flow around the picture</p> <p><u>BORDER</u>: border around the picture</p> <p><u>HSPACE</u>: horizontal distance between the picture and the text</p> <p><u>VSPACE</u>: vertical distance between the picture and the text</p> <p><u>ISMAMP</u>: is this a clickable map?</p> <p><u>USEMAP</u>: name of the map definition</p> <p><u>LOWSRC</u>: a version of the picture that isn't such a big file</p> <p><u>NATURALSIZESIZEFLAG</u>: meaningless</p> <p><u>NOSAVE</u>: meaningless</p> <p><u>DYNSRC</u>: play a movie file</p> <p><u>CONTROLS</u>: show the buttons which control the movie</p> <p><u>LOOP</u> = <u>INFINITE</u> -1 # of loops how many times to loop the movie</p> <p><u>START</u> = <u>FILEOPEN</u> <u>MOUSEOVER</u> when to start playing the movie</p> <p><u>onLoad</u>: script to runs after the image is downloaded</p> <p><u>SUPPRESS</u> = <u>TRUE</u> <u>FALSE</u> Don't show icons of images that haven't downloaded yet</p>
<INPUT ...>	<p><u>TYPE</u> = <u>TEXT</u> <u>CHECKBOX</u> <u>RADIO</u> <u>PASSWORD</u> <u>HIDDEN</u> <u>SUBMIT</u> <u>RESET</u> <u>BUTTON</u> <u>FILE</u> <u>IMAGE</u> what type of field</p> <p><u>NAME</u>: name of this form field</p> <p><u>VALUE</u>: initial or only value of this field</p> <p><u>SIZE</u>: how wide the text field should be</p> <p><u>MAXLENGTH</u>: maximum number of characters</p> <p><u>CHECKED</u>: check this checkbox or radio button</p> <p><u>BORDER</u>: border around image</p> <p><u>SRC</u>: URL of image</p> <p><u>ALT</u>: text to show if you don't show the picture</p> <p><u>LOWSRC</u>: a version of the picture that isn't such a big file</p> <p><u>WIDTH</u>: width of image</p> <p><u>HEIGHT</u>: height of image</p> <p><u>ALIGN</u> = <u>LEFT</u> <u>RIGHT</u> <u>TOP</u> <u>TEXTTOP</u> <u>MIDDLE</u> <u>ABSMIDDLE</u> <u>CENTER</u> <u>BOTTOM</u> <u>ABSBOTTOM</u> <u>BASELINE</u> how text should flow around the picture</p> <p><u>VSPACE</u>: vertical distance between the picture and the text</p> <p><u>HSPACE</u>: horizontal distance between the picture and the text</p> <p><u>READONLY</u>: the value of this field cannot be changed</p> <p><u>DISABLED</u>: don't let the user do anything with this field</p> <p><u>ACCESSKEY</u></p> <p><u>TABINDEX</u>: tab order</p>

	<p><u>LANGUAGE</u> = "JavaScript" "JavaScript1.1" "JSCRIPT" "VBScript" "VBS" <i>other language</i> scripting language to use</p> <p><u>onClick</u>: when the user clicks here</p> <p><u>onChange</u>: when this field is changed</p> <p><u>onFocus</u>: when this field gets the focus</p> <p><u>onBlur</u>: when this field loses the focus</p> <p><u>onKeyPress</u>: script to run when a key is pressed</p> <p><u>onKeyUp</u>: script for when a key goes up while the field has the focus</p> <p><u>onKeyDown</u>: script for when a key goes down while the field has the focus</p> <p><u>AUTOCOMPLETE</u> = ON OFF If the browser should use autocompletion for the field</p>
<INS> Inserted 	
<ISINDEX ...>	<p><u>PROMPT</u>: prompt string to show before the text entry area</p> <p><u>ACTION</u>: the CGI to call</p>
<KBD> Keyboard	
<LABEL ...>	<u>FOR</u> : form element for which this is a label
<LEGEND ...>	<u>ALIGN</u> = RIGHT CENTER LEFT
<LI ...> List Item	<p><u>TYPE</u> = DISC CIRCLE SQUARE 1 A a I i type of bullet or numeral</p> <p><u>VALUE</u>: where to continue counting</p>
<LINK ...>	<p><u>REL</u>: relationship to this page</p> <p><u>REV</u>: reverse relationship to this page</p> <p><u>HREF</u>: URL of related document</p> <p><u>TITLE</u>: suggested title</p> <p><u>MEDIA</u> = SCREEN PRINT PROJECTION AURAL BRAILLE ALL <i>other media</i> What media type the link applies to</p> <p><u>TYPE</u>: MIME type of linked resource</p>
<LISTING>	
<MAP ...>	<u>NAME</u> : name of this map
<MARQUEE ...>	<p><u>WIDTH</u>: how wide the marquee is</p> <p><u>HEIGHT</u>: how tall the marquee is</p> <p><u>DIRECTION</u> = LEFT RIGHT which direction the marquee should scroll</p> <p><u>BEHAVIOR</u> = SCROLL SLIDE ALTERNATE what type of scrolling</p> <p><u>SCROLLDELAY</u>: how long to delay between each jump</p> <p><u>SCROLLAMOUNT</u>: how far to jump</p> <p><u>LOOP</u> = INFINITE <i>number of loops</i> how many times to loop</p>

	<p><u>BGCOLOR</u>: background color</p> <p><u>HSPACE</u>: horizontal space around the marquee</p> <p><u>VSPACE</u>: vertical space around the marquee</p>
<MENU ...>	
<META ...>	<p><u>NAME</u> = KEYWORDS DESCRIPTION REFRESH <i>many others</i></p> <p>The purpose of this META tag</p> <p><u>HTTP-EQUIV</u>: Name of the pretend HTTP header</p> <p><u>CONTENT</u>: Metainformation content</p>
<MULTICOL ...>	<p><u>COLS</u>: how many columns</p> <p><u>GUTTER</u>: space between columns</p> <p><u>WIDTH</u>: width of a single column</p>
<NOBR> No Break	
<NOEMBED>	
<NOFRAMES>	
<NOSCRIPT>	
<OL ...> Ordered List	<p><u>TYPE</u> = 1 A a I i</p> <p>type of numerals</p> <p><u>START</u>: where to start counting</p>
<OPTION ...>	<p><u>VALUE</u>: what's the value if this option is chosen</p> <p><u>SELECTED</u>: this option is selected by default</p>
<P ...> Paragraph	<p><u>ALIGN</u> = LEFT CENTER RIGHT JUSTIFY</p> <p>alignment of text within the paragraph</p> <p><u>CLEAR</u> = LEFT RIGHT ALL BOTH</p> <p>move past picture and other objects</p>
<PARAM ...> Parameter	<p><u>NAME</u>: name of the parameter</p> <p><u>VALUE</u>: value of the parameter</p>
<PLAINTEXT>	
<PRE ...> Preformatted Text	
<S> Strikeout	
<SAMP> Sample	
<SCRIPT ...>	<p><u>TYPE</u> = "text/javascript" "text/vbscript" <i>other scripting language</i></p> <p>Which scripting language to use</p> <p><u>SRC</u>: External source for script</p> <p><u>DEFER</u>: Continue loading page while downloading script</p> <p><u>LANGUAGE</u> = JAVASCRIPT LIVESCRIPT VBSCRIPT <i>other</i></p> <p>Deprecated indicator of language</p> <p><u>FOR</u>: object for which this script is an event handler</p> <p><u>EVENT</u>: the event this script handles</p>
<SELECT ...>	<p><u>NAME</u>: name of this form element</p> <p><u>MULTIPLE</u>: allow more than one choice</p> <p><u>SIZE</u>: how many options to show</p>

	<p><u>READONLY</u>: don't let the user change the value of this field</p> <p><u>DISABLED</u>: don't let the user do anything with this field</p> <p><u>LANGUAGE</u> = "JavaScript" "JavaScript1.1" "VBScript" <i>other language</i> scripting language to use</p> <p><u>onChange</u>: what to do when a new option is selected</p> <p><u>TABINDEX</u>: tab order</p> <p><u>onFocus</u>: script to run when this field gets the focus</p> <p><u>onBlur</u>: script to run when this field loses the focus</p>
<SMALL>	
<SOUND ...>	
<SPACER ...>	<p><u>TYPE</u> = <u>HORIZONTAL</u> <u>VERTICAL</u> <u>BLOCK</u> what type of space is this</p> <p><u>ALIGN</u> = <u>LEFT</u> <u>RIGHT</u> align left or right</p> <p><u>SIZE</u>: how tall or wide</p> <p><u>WIDTH</u>: how wide</p> <p><u>HEIGHT</u>: how tall</p>
	
<STRIKE> Strikeout </S>	
	
<STYLE ...>	<p><u>TYPE</u>: style language</p> <p><u>MEDIA</u>: type of media this style applies to</p>
<SUB> Subscript	
<SUP> Superscript	
<TABLE ...>	<p><u>BORDER</u>: size of border around the table</p> <p><u>CELLPADDING</u>: space between the edge of a cell and the contents</p> <p><u>CELLSPACING</u>: space between cells</p> <p><u>WIDTH</u>: width of the table as a whole</p> <p><u>BGCOLOR</u>: color of the background</p> <p><u>BACKGROUND</u>: picture to use as background</p> <p><u>ALIGN</u> = <u>LEFT</u> <u>RIGHT</u> alignment of table to surrounding text</p> <p><u>HSPACE</u>: horizontal space between table and surrounding text</p> <p><u>VSPACE</u>: vertical space between table and surrounding text</p> <p><u>HEIGHT</u>: height of the table as a whole</p> <p><u>FRAME</u> = <u>VOID</u> <u>BOX</u> <u>BORDER</u> <u>ABOVE</u> <u>BELOW</u> <u>LHS</u> <u>RHS</u> <u>HSIDES</u> <u>VSIDES</u> parts of outside border that are visible</p> <p><u>RULES</u> = <u>NONE</u> <u>ALL</u> <u>COLS</u> <u>ROWS</u> <u>GROUPS</u> if there should be internal borders</p> <p><u>BORDERCOLOR</u>: color of border around the table</p>

	<u>BORDERCOLORLIGHT</u> : color of "light" part of border around the table
	<u>BORDERCOLORDARK</u> : color of "dark" part of border around the table
	<u>SUMMARY</u> : Summary of the purpose of the table
<u><TBODY ...></u> Table Body Section	
<u><TD ...></u> Table Data	<u>ALIGN</u> = LEFT CENTER MIDDLE RIGHT horizontal alignment of cell contents
	<u>VALIGN</u> = TOP MIDDLE CENTER BOTTOM BASELINE vertical alignment of cell contents
	<u>WIDTH</u> : width of cell
	<u>HEIGHT</u> : height of cell
	<u>COLSPAN</u> : number of columns to cover
	<u>ROWSPAN</u> : number of rows to cover
	<u>NOWRAP</u> : don't word wrap
	<u>BGCOLOR</u> : color of the background
	<u>BORDERCOLOR</u> : color of border around the table
	<u>BORDERCOLORDARK</u> : color of "dark" part of border around the table
	<u>BORDERCOLORLIGHT</u> : color of "light" part of border around the table
	<u>BACKGROUND</u> : picture to use as background
<u><TEXTAREA ...></u>	<u>NAME</u> : name of this form field
	<u>COLS</u> : how many characters wide
	<u>ROWS</u> : how many rows
	<u>WRAP</u> = SOFT HARD OFF how to wrap the text
	<u>READONLY</u> : don't let the user change the contents of the field
	<u>DISABLED</u> : don't let the user do anything with this field
	<u>TABINDEX</u> : tab order
	<u>LANGUAGE</u> = "JavaScript" "JavaScript1.1" "VBScript" <i>other language</i> scripting language
	<u>onChange</u> : Script to run when the user has changed the textarea
	<u>onKeyPress</u> : script to run when a key is pressed
<u><TFOOT ...></u> Table Footer Section	
<u><TH ...></u> Table Header	
<u><THEAD ...></u> Table Header Section <u><TBODY ...></u> , <u><TFOOT ...></u>	
<u><TITLE></u>	
<u><TR ...></u> Table Row	<u>ALIGN</u> = LEFT CENTER RIGHT horizontal alignment of cell contents
	<u>HALIGN</u> = LEFT CENTER RIGHT
	<u>VALIGN</u> = TOP MIDDLE BOTTOM BASELINE vertical alignment of cell contents
	<u>BGCOLOR</u> : background color

	BACKGROUND: background image
	BORDERCOLOR: color of border around each cell
	BORDERCOLORLIGHT: color of "light" part of border around each cell
	BORDERCOLORDARK: color of "dark" part of border around each cell
<TT> Teletype	
<U> Underline	
<UL . . .> Unordered List	TYPE = DISC CIRCLE SQUARE type of bullets
<VAR> Variable	
<WBR>	
<XMP>	

منبع مطالب : <http://www.htmlcodetutorial.com>